

Ampron API CMS Player




Operating system	Android 7.1.2
Supported media	text, audio, video, web areas
CPU	RK3399 64 bit CPU
GPU	ARM Mali-T864
Network	100M/1000M Ethernet
HDMI	1 x HDMI 2.0
USB	2 x USB 3.0
Audio out	1 x left and right
Image rotation	0°, 90°, 180°, 270°

FEATURES

- display web areas
- set brightness
- control background color
- set font size
- set various text effects
- set area size

In addition, things like setting the timer or counter, visualising the clock, setting dynamic areas, setting various font sizes, and many more capabilities. As software is in constant development, ask for the availability of more features. For configuration and available options please see our API: <https://api2.ampron.eu>

USAGE



Ampron API CMS Player

Optional Network	2.4/5G Wi-Fi, 4G
Storage capability	32GB (64GB opt.)
Serial port	1 RS232
Audio Amplifier	2 OUT (8 ohm, 5w)
Microphone	1 IN
Power input	AC 110-230V
Power output	DC 12V 1.5A
Operating Temperature	-20°C ... +70°C
Storage humid	10%~90%RH
Storage temp	-40°C ... 70°C
Certification	CE, RoHS
Warranty	1 year



LCD/LED Player

Ampron API CMS Player

AMPRON
WWW.AMPRON.EU